

Performance you can rely on.

Floorcare Machines



Contents

	Page
Introduction	4
TASKI Service & Support	5
Dry vacuum cleaners	6
Wet & dry vacuums	10
Carpet cleaning	12
Single disc machines	14
Scrubber driers	19

Introduction

TASKI[®] by Diversey offers integrated cleaning and hygiene solutions for floor care that provide you with a multidimensional package of products, tools, training, and service.

Our unique, leading-edge machines use eco-friendly cleaning solutions. Delivering cost-effective and superior results every time, they feature exceptional maneuverability to reach every place you need to clean.

From vacuum cleaners, single disc machines to auto scrubbers, TASKI by Diversey provides an unparalleled level of performance across a range of applications.

Our quality machines have been developed to be ergonomic and easy to use by the operator; clear service points on the machines make them easy to maintain and reduce any downtime.

Diversey also provides a bespoke solutions program including machine service and warranty options.



TASKI Service & Support



Service and warranty

- Bespoke service contracts are available in all countries. For more information contact your local Diversey office
- Minimum one year warranty is available on all machines
- Single disc machines and Scrubber driers have a two year warranty on parts and labour

Existing contracts/sites

- Advice on equipment – for best productivity, performance and cost in use
- Demonstration of equipment to confirm benefits to you
- Training to ensure safe, effective and productive use – certificated if requested
- Assistance with problem solving – backed up by Technical and laboratory teams


New contracts and mobilisation

- Working with Sales/business development
- Surveying sites – survey to include: equipment type/volume/allocation
- Agree roll out procedures/ensure delivery at appropriate day/time
- Arrange/carry out training on equipment – prior to start up if possible
- Support/train at start up
- Agree on service level agreement
- Provide contract manuals, contact details and support material

Support material

- Task cards
- How to use documentation
- Productivity guides
- Web based information on:

www.diversey.com



Dry vacuum cleaners tub vacuums

vento 8

Mains powered tub vacuum cleaner

Code	Recommended Standard Spec
7514390	vento 8 /230V/50-60Hz Euro
7514886	Paper dust bags – V8 (Packet of 10)
7514803	Fleece dust bags – V8 (Packet of 10)

TASKI vento 8 brings you:

Multi functional handle

The functional handle design incorporates a number of features including an intuitive opening mechanism, ergonomic foot operated on/off switch and a convenient cable tidy.

Improved air quality

Machines utilise industry leading filtration system consisting of; new disposable fleece bag, filter cloth, motor protection filter and optional exhaust filter. This results in significantly improved air quality during and after the vacuum operation as well as increased motor life.

Easy to manoeuvre castor system

The use of two fixed rear wheels and two freely rotating castors ensures maximum stability and manoeuvrability of the new vacuum cleaner.

A number of little extras

The new machine features a mounting system for attachments to ease storage as well as a plug holder to secure the detachable power cable.



Technical Data	
Dust bag capacity	8 L
Bag type (paper/fleece)	Both
Nominal consumption	900 W
Voltage	220/240 V
Weight with cable	6 kg
Sound level	59 dB(A)
Vacuum	17 kPa
Max air flow	55 L
Filtration (stages)	4 (5 inc exhaust filter)
Cable length	11 m
Hose length	2 m
Suction tubes	Metal
Floor tool width	270 mm
Dimensions	430x380x330 mm
Protection class	Class II
Exhaust filter option	Yes
Hepa Option	No
Approvals	CE / CSA

Dry vacuum cleaners tub vacuums

vento 15

Mains powered tub vacuum cleaner

Code	Recommended Standard Spec
7514410	vento 15 /230V/50-60Hz Euro
7514888	Paper dust bags – V15 (Packet of 10)
7514804	Fleece dust bags – V15 (Packet of 10)

TASKI vento 15 brings you:

Multi functional handle

The functional handle design incorporates a number of features including an intuitive opening mechanism, ergonomic foot operated on/off switch and a convenient cable tidy.

Improved air quality

Machines utilise industry leading filtration system consisting of; new disposable fleece bag, filter cloth, motor protection filter and optional exhaust filter. Additional HEPA filtration is also available as an optional extra. This results in significantly improved air quality during and after the vacuum operation as well as increased motor life.

Easy to manoeuvre castor system

The use of two fixed rear wheels and two freely rotating castors ensures maximum stability and manoeuvrability of the new vacuum cleaner.

Support material

The TASKI vento 15 features a mounting system for attachments to ease storage as well as a plug holder to secure the detachable power cable. The machine also comes with a set of accessories (crevice nozzle and upholstery brush) as standard.



Technical Data	
Dust bag capacity	15 L
Bag type (Paper/Fleece)	Both
Nominal consumption	1000 W
Voltage	220/240 V
Weight with cable	8 kg
Sound level	59 dB(A)
Vacuum	22 kPa
Max air flow	61 L
Filtration (stages)	4 (6 inc exhaust & HEPA)
Cable length	11 m
Hose length	2 m
Suction tubes	Metal
Floor tool width	300 mm
Dimensions	430x380x480 mm
Protection class	Class II
Exhaust filter option	Yes
Microfilter (HEPA) Option	Yes
Approvals	CE / CSA

Dry vacuum cleaners tub vacuums

dorsalino

Highly efficient backpack vacuum cleaner

Code	Recommended Standard Spec
8003590	Dorsalina back pack vacuum cleaner
8504180	Complete accessory kit
8504190	Dorsalina double filter paper bag (Packet of 10)

TASKI dorsalino brings you:

Fatigue-free cleaning

The lightweight and ergonomic backpack system, which can be adjusted according to the operators preferences, makes working with the TASKI dorsalino convenient and therefore increases productivity.

Power & efficiency

The powerful, efficient & durable vacuum motor combined with the various accessories, guarantees excellent results and efficient operation on all types of soft and hard floorings.

Quiet operation

The low sound level makes it comfortable to use, with minimum disturbance to others.

Versatility

TASKI dorsalino is a highly versatile machine which is ideal for cleaning of congested areas such as stairs, theatres, buses, stockrooms, etc. A wide range of accessories are available that can be carried along in the accessory holder belt for fast access while working.



Technical Data

Dust bag capacity	4.7 L
Weight with cable	5.4 kg
Sound level	70 dB(A)
Nominal consumption	900 W
Vacuum	21.5 kPa
Max air flow	47 L
Dimensions (LxWxH)	300x320x520 mm
Cable length	15 m
Suction hose length	2.2 m
Protection class	II
Approvals	CE/CB Test cert./ ÖVE/SEV

Accessories vento 8 / vento 15 / dorsalino

Code	Equipment	Machine		
		vento 8	vento 15	dorsalino
Attachments				
7514889	Accessory kit	✓		
7514937	Telescopic tube 32mm	✓	✓	
8504180	Complete accessory kit			✓
Filters				
7514883	Optional exhaust filter	✓	✓	
7514884	Optional HEPA filter kit inc exhaust		✓	
7514885	Optional HEPA filter (filter only)		✓	
Dust bags				
7514886	Paper dust bag V8 (Packet of 10)	✓		
7514888	Paper dust bags V15 (Packet of 10)		✓	
7514803	Fleece dust bags V8 (Packet of 10)	✓		
7514804	Fleece dust bags V15 (Packet of 10)		✓	
8504190	Dorsalina double filter paper bag (Packet of 10)			✓

Recommended chemicals

Product	Code
CCS General Purpose Spotter	HH15173

Wet & dry vacuums

wet and dry tub

vacumat 22

Mains powered wet and dry tub vacuum cleaner

Code	Recommended Standard Spec
8004270	TASKI vacumat 22 Euro
8504480	Kit-wet cleaning
8504930	Kit-dry cleaning

TASKI vacumat 22 brings you:

Maximum flexibility

The wet vacuum cleaner can easily be equipped for dry operation by using an easy to attach dry vacuuming kit. This makes the machine truly multi-functional for any type of dry vacuuming on hard and soft floors.

True versatility

Due to a large variety of options the vacuum cleaner can be used for basic cleaning in combination with TASKI single disc machines; spillage cleaning or day to day cleaning.

Increased productivity

High suction power combined with excellent manoeuvrability and large container capacity increase the efficiency of operation.

Robustness and durability

A specially designed mechanical float system with a dual filter guarantees double protection of the motor unit and significantly prolonged service life. The canister which is resistant to shocks and chemicals ensures high durability.



Technical Data	
Container capacity: wet	22 L
Container capacity: dry	28 L
Container volume	45 L
Weight with cable	11 kg
Sound level	64 dB(A)
Nominal consumption	1000 W
Vacuum	22 kPa
Max air flow	60 L
Dimensions (LxWxH)	390x630x440 mm
Cable length	10 m
Suction hose length	2 m
Castors	5
Castor diameter	50 mm
Protection class	Class II
Approvals	CE/CB Test cert./CSA

For additional accessories see table on page 11.

Accessories

wet & dry vacuums

vacumat 22

Code	Equipment	Machine
		vacumat 22
Attachments		
8504480	Kit-wet cleaning	✓
8504930	Kit-dry cleaning	✓
Dust bags		
7514888	Pack of 10 double filter bags	✓

Carpet cleaning

Spray extraction machine

aquamat 10.1

Compact spray extraction machine

Code	Recommended Standard Spec
8003300	TASKI aquamat 10.1 230V/50Hz EURO – machine only
8505140	Floor extraction tool & injection/extraction hose

TASKI aquamat 10.1 brings you:

Excellent deep cleaning results

Deep cleaning through spray extraction is the ultimate way of thoroughly cleaning your carpets. It increases the lifetime of your carpets by removing engrained dirt whilst maintaining the high appearance levels of your carpet.

Quick and effective spot cleaning

Keep this machine at hand to tackle any accidents. Together with the optional hand tool accessory and professional stain removal products, disruptions are minimised and efficiently dealt with.

Ease of transportation

Due to its modular design, light weight and compact size, the TASKI aquamat 10.1 can easily be transported between locations.

Complete range of accessories

The spray device can be used to pre-spray carpet detergent before deep cleaning, maximising cleaning results. The optional 12cm hand nozzle facilitates deep cleaning of upholstery, stairs and other hard to reach areas. The carpet pile brush lifts the carpet fibres and gives the entire surface a uniform, even appearance and reduces drying time.



Technical Data	
Solution tank	10 L
Recovery tank	10 L
Max air flow	41 L
Vacuum	18 kPa
Dimensions (LxWxH)	380x380x600 mm
Weight	12 kg
Nominal consumption	900 W
Sound level	66 dB(A)
Cable length	10 m
Protection class	Class II
Approvals	CE/CB Test cert./ÖVE/SEV

Accessories

carpet cleaning

aquamat 10.1

Code	Equipment	Machine
		aquamat 10.1
8503920	Spray lance	✓
8505150	Hand nozzle : for use on upholstery & stairs	✓
8505160	Floor extraction tool & injection/extraction hose kit	✓
4109440	Upholstery nozzle 10cm	✓

Recommended chemicals

Product	Code
CCS Extraction Cleaner	739152
CCS General Purpose Spotter	HH15173

17" single disc machines ergodisc rotary machines

ergodisc 165

Low-speed single disc machine –
for multiple cleaning tasks

Code	Recommended Standard Spec
8003850	TASKI ergodisc 165 Euro – machine only
8504410	Pad drive – 17" standard speed
8504750	Scrubbing brush (for general use)

The ergodisc 165 is especially suited for the following tasks: wet scrubbing – stripping – buffing – spray cleaning – wet & dry shampooing - wood treatment - crystallisation.

Ergonomics:

Better working conditions improve productivity through:

- anatomically formed grip
- adjustable handle bar height
- low vibration level
- low noise level
- soft start characteristics

Safety:

Creates a safer working environment through:

- hand protection due to closed handle
- high electrical safety due to double insulation
- double safety lock

Simplicity:

Ease of use results in improved efficiency through ease of:

- training and operation
- attaching accessories, no tools required
- storing and transporting, enabled by a foldable handle and movable weight

Versatility:

Multi-purpose, cost efficient machine:

- adaptable to many different cleaning tasks
- full range of accessories available



Technical Data	
Working width	43 cm (17 inch)
Speed	165 rpm
Weight	42 kg (option to remove 5kg)
Engine height	31.5 cm
Nominal consumption	1100 W
Voltages available	230 V / 50 Hz 120V / 60Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test Cert ÖVE/ SEV

17" single disc machines ergodisc rotary machines

ergodisc 400

High speed single disc machine –
for cost efficient high speed cleaning

Code	Recommended Standard Spec
8003890	TASKI ergodisc 400 240V/50Hz Euro - machine only
7510030	Multigrip pad drive – 17" high speed

The ergodisc 400 is especially suited for the following tasks: spray cleaning – buffing.

Ergonomics:

Better working conditions improve productivity through:

- anatomically formed grip
- adjustable handle bar height
- low vibration level
- low noise level
- soft start characteristics

Safety:

Creates a safer working environment through:

- hand protection due to closed handle
- high electrical safety due to double insulation
- double safety lock

Simplicity:

Ease of use results in improved efficiency through ease of:

- training and operation
- attaching accessories, no tools required
- storing and transporting, enabled by a foldable handle and movable weight

Versatility:

Multi-purpose, cost efficient machine:

- adaptable to many different cleaning tasks
- full range of accessories available



Technical Data	
Working width	43 cm (17 inch)
Speed	400 rpm
Weight	35 kg
Engine height	38 cm
Nominal consumption	1100 W
Voltages available	230 V / 50 Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test cert / ÖVE/ SEV

20" single disc machines ergodisc rotary machines

ergodisc 1200

Ultra-high-speed single disc machine – for ultra-high-speed burnishing

Code	Recommended Standard Spec
8004660	TASKI ergodisc 400 240V/50Hz Euro - machine only
8504410	Pad drive – 17" standard speed
8504750	Scrubbing brush (for general use)

The ergodisc 1200 is especially suited for the following tasks: buffing – spray cleaning – burnishing.

Ergonomics:

Better working conditions improve productivity through:

- anatomically-formed grip
- adjustable handle bar height
- low vibration level
- low noise level
- soft start characteristics

Safety:

Creates a safer working environment through:

- hand protection due to closed handle
- double safety lock

Simplicity:

Ease of use results in improved efficiency through ease of:

- training and operation
- attachment of accessories, no tools required
- storage and transportation, enabled by a foldable handle and movable weight

Designed for speed:

A brilliant shine in half the time. Ease of use (straight-line action) and ultrahigh speed ensures shiny, slip-resistant floors in a fraction of the usual time.

The front steering wheel results in greater manoeuvrability and straight-line action. A large working width (50cm / 20") and a superb ability to remove traffic marks means the TASKI ergodisc 1200 is ideal for larger areas.



Technical Data	
Working width	50 cm (19.8 inch)
Speed	1200 rpm
Weight	42 kg
Engine height	43 cm
Nominal consumption	1300 W
Voltages available	230V/50Hz 220V/60Hz 120V/60Hz
Cable length	25 m
Sound level	64 dB(A)
Protection class	Class I
Approvals	CE/CB Test cert/ÖVE/SEV/CSA

17" Single disc machines ergodisc rotary machines

ergodisc duo

Multi speed single disc machine – two powerful machines in one

Code	Recommended Standard Spec
8004020	TASKI ergodisc duo speed Euro - machine only
8504410	Pad drive – 17" standard speed
8504750	Scrubbing brush (for general use)

The ergodisc duo is especially suited for the following tasks: wet scrubbing – stripping – buffing – spray cleaning – shampooing – wood treatment – crystallisation – grinding.

Ergonomics:

Better working conditions improve productivity through:

- anatomically formed grip
- adjustable handle bar height
- low vibration level
- low noise level
- soft start characteristics

Safety:

Creates a safer working environment through:

- hand protection due to closed handle
- high electrical safety due to double insulation
- double safety lock

Simplicity:

Ease of use results in improved efficiency through ease of:

- training and operation
- attaching accessories, no tools required
- storing and transporting, enabled by a foldable handle and movable weight

Versatility:

Multi-purpose, cost efficient machine:

- adaptable to many different cleaning tasks
- full range of accessories available



Technical Data	
Working width	43 cm (17 inch)
Speed	165 / 330 rpm
Weight	48 kg (option to remove 5 kg)
Engine height	29.5 cm
Nominal consumption	1100 W
Voltage	230 V / 50 Hz
Cable length	15 m
Sound level	57 dB(A)
Protection class	Class II
Approvals	CE/CB Test cert / ÖVE/SEV

Accessories

ergodisc rotary machines

Code	Equipment				
		165	400	1200	Duo
Brushes					
8504750	Scrubbing brush for general use, 43cm – 17"	✓			✓
8504780	Scrubbing brush – for industrial use 43cm – 17"	✓			✓
7510030	Multi purpose hi-speed brush 43cm – 17"		✓	✓	
8504400	Spray cleaning brush 43cm – 17"		✓	✓	
8504830	Shampooing brush dry 43cm	✓			
8504860	Shampooing brush wet 43cm	✓			✓
8504800	Scrubbing brush washed concr. 43 cm	✓			
Dispensing units					
8504370	Dispensing unit – mechanical		✓	✓	✓
8504390	Solution tank, 10 lt.	✓			✓
8504660	Foam generator 230V	✓			
Vacuum accessories					
7515786	Soft suction Skirt, 43cm – 17"		✓	✓	✓
8504380	Suction unit		✓	✓	
Pad drives					
8504410	Multigrip pad drive – 17" standard speed	✓			

Recommended chemicals

Product	Code
Revive High performance cleaner/maintainer that rejuvenates UHS floor finishes	5687542
PROSTRIP 2X5LT Premium high performance stripper for tough to remove sealers & finishes with low VOC technology	5623661
PROSTRIP HD 2X5LT High performance stripper for tough to remove sealers & finishes	5751137
STRIP EZE 2X5L General purpose stripper, suitable for metalised & non metalised floor sealers & finishes	5487081
STEP OFF Traditional alkaline stripper, suitable for removing top coats in a selective stripping program	5784596
TASKI PROFI Mineral oil & grease remover	HH14329
CLEARCLEAN PLUS Highly reactive degreaser for all heavy duty degreasing	5487073
CCS General Purpose Spotter	HH15173
CCS SHAMPOO	HH15167

Scrubber driers

Ultra compact scrubber driers

swingo 150 E

The new class of ultra compact scrubber drier

Code	Recommended Standard Spec
7516209	TASKI swingo 150 E Euro
7516236	Cylindrical brush
7516237	Cylindrical brush hard
7516546	Squeegee Kit

TASKI swingo 150 E brings you: Immediately dry floors

Busy areas like shops, sanitary facilities, restaurants, petrol station shops, foyers etc. cleaned with the TASKI swingo 150 E can be used immediately and safely with a reduced risk of slip-fall accidents. The machine is drying forward and backwards. The unique suction unit removes up to 99% of water from the floor, whereas manual cleaning methods always leave used cleaning solution that leads to soiling by people walking on still wet floors.

Excellent cleaning results

High mechanical scrubbing action and a pressure up to 10 times higher compared to manual cleaning ensure best cleaning results. A single scrub and dry process guarantees less soil residues. With the unique low brush head, the TASKI swingo 150 E allows quick and smooth access under shelves, racks, furniture and other objects.

Easy cleaning of congested areas

The upright design is similar to conventional upright vacuums. The machine can be used where conventional scrubber driers are simply too heavy, and manual cleaning methods do not deliver required hygienic results. The innovative concept enables the operator to move the machine easily in every direction.

Simple, fast and ergonomic operation

The machine is handy and easy to manoeuvre. Comfortable handles make it easy to lift, and transport the swingo 150 E on stairs. With very compact dimensions it is easy to store.



Technical Data

Working width	335 mm
Squeegee width	355 mm
Solution tank	2.6 L
Recovery tank	2.9 L
Nominal consumption	1100 W
Rated voltage	230 V / 50 Hz
Brush rotation speed	1700 RPM
Machine weight empty w/ out cord	11.7 kg
Handle weight	1.3 kg
Dimensions (L x W x H)	430x380x1120 mm
Cord length	15 m
Sound pressure level	74 db(A)
Protection class	Class II
Approvals	CE/CB Test cert./ IMQ/cETLus

scrubber driers

battery powered machines

swingo 350B bms

Ultra-compact battery-powered scrubber drier

Code	Recommended Standard Spec
7516860	TASKI swingo 350 B BMS
7516863	Cylindrical brush standard 38cm
7516864	Cylindrical brush hard 38cm

TASKI swingo 350B bms brings you:

Accessibility of Confined Areas

Due to the very low height of the machine body and the handle which can be folded backwards the machine can reach under obstacles such as tables or racks. The roller brush, which is offset to the side, allows edge-close cleaning as well as access to corners. The wiping blade in front of the brush helps to remove the cleaning solution also when moving the machine backwards.

Cleaning & Drying Effectiveness

Compared to manual cleaning the machine delivers significantly higher hygiene levels and improves the floor appearance as well as consistency of result. This is achieved through maximum scrubbing action and the innovative V-shaped squeegee which leads to excellent drying results, even on difficult floors such.

Safety and Simplicity

Due to the system's perfect drying results the risk of slip-falls caused by wet floors is reduced to the minimum. This makes TASKI swingo 350B bms the perfect solution for use in day-time operations, even in high traffic areas. The ergonomically designed, height adjustable handle with hand protection allows for the safe and comfortable use of the machine.

Reliability & Robustness

The machine is very robust and durable and can withstand even the toughest cleaning tasks, making it one of the most reliable machines of its type in the marketplace today.



Technical Data	
Theoretical performance	1140m ² /h (12,271 ft ² /h)
Working width	380 mm
Squeegee width	555 mm
Solution tank	10 L
Recovery tank	10 L
Nominal consumption	1100 W
Rated voltage	12 V
Battery autonomy (nominal)	45 min
Machine weight ready for use	67kg
Handle weight	1.3 kg
Dimensions (L x W x H)	790x450x430 mm
Brush system	Roller brush
Brush pressure	Max 17 kg
Cable length of integrated battery charger	3 m (10 ft)
Electrical protection class (BMS/non-BMS)	Class II
Approvals	CE/CB Test cert.

scrubber driers

battery powered machines

swingo 455B bms

Compact battery powered automatic scrubber drier

Code	Recommended Standard Spec
7518367	TASKI swingo 455B bms Euro
8504750	Scrubbing Brush 430mm
7510829	Pad drive harpoon grip 430mm
8505540	Battery for KSE 910 / swingo 455B bms Euro

TASKI swingo 455B bms brings you:

Performance

Winning is all about performance and the TASKI swingo 455B bms has it all. Great results are achieved through the brush following the floor's profile and this, combined with a u-shaped squeegee and direct suction set-up ensure all dirt is removed from the floor. Performance is also about pace and the TASKI swingo 455B bms is incredibly easy to handle due to its dual-axle system.

Simplicity and ergonomomy

Keeping things simple and comfortable makes life easier and the TASKI swingo 455B bms can help. With its intuitive controls, operator training is reduced to a minimum. The incorporation of a proven and ergonomically designed handle and dual-axle system ensure that the machine is comfortable to use and easy to control, thus reducing operator fatigue.

Easy maintenance

Colour coded yellow maintenance points mean easy training and reduced downtime. The incorporation of an easy to remove recovery tank makes the swingo 455B bms simple to use and to keep clean. Fewer parts to maintain and easy accessibility make the machine extremely service friendly.

Versatility in application

Due to its compact size and simplicity, it can be used in a wide variety of application areas. It is truly versatile for use in all types of small or congested hard floor areas such as retail stores, kitchens, schools and hospitals.



Technical Data	
Theoretical performance	1290 m ² /h
Working width	43 cm
Squeegee width	69 cm
Solution tank (nominal)	25 L
Recovery tank (nominal)	22 L
Nominal consumption	900 W
Rated voltage	24 V
Battery capacity	50 Ah/C5
Battery autonomy (nominal)	1.5 hours
Machine weight ready for use	120 kg
Dimensions (L x W x H) (machine only)	110x48x92 cm
Brush pressure	32 kg
Sound level	68 dB(A)
Splash water protection	IPX3
Approvals	ÖVE

For further information please contact:
www.diversey.com

Diversey New Zealand Ltd

3 Diversey Lane, Manukau Central,
Auckland 2025,
NEW ZEALAND
Toll free: 0800 803 615

© 2012 Diversey Australia Pty Limited,
29 Chifley Street, Smithfield NSW 2167.

